

# **Safety Data Sheet**

Revision Date 12/16/15

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Renaissance Concrete Chemical Stain – Onyx

Manufacturer : Sentury Reagents, Inc.

2515 Commerce Dr. Rock Hill, SC 29730

USA

Telephone : 803-327-6880 Fax : 803-327-3872 Emergency Phone # 800-633-8253 PERS

International Phone # 011-801-629-0667

Supplier's account # 10613

#### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

### **OSHA Hazards**

Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Respiratory sensitizer, Corrosive, Carcinogen, Teratogen, Reproductive hazard

### Target Organs Liver, Kidnev

Pictogram

Signal word

# GHS Label elements, including precautionary statements

\Q\

Hazard statement(s)

H272 May intensify fire; oxidizer.

H300 Fatal if swallowed.

H312 + H332 Harmful in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

Danger

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled. H410

Very toxic to aquatic life, with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P220 Keep/Store away from clothing/ combustible materials.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 + P311 Immediately call a POISON CENTER or doctor/physician.

**HMIS Classification** 

Health hazard: 4
Chronic Health hazard: \*
Flammability: 0
Physical hazards: 0
Personal Protection: F

**NFPA Rating** 

Health hazard: 4
Fire: 0
Reactivity Hazard: 0

**Potential Health Effects** 

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Skin** Harmful if absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns. **Ingestion** Toxic if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : HCl, Cr<sub>2</sub>Na<sub>2</sub>O<sub>7</sub> • 2H<sub>2</sub>O

| CAS-No.                     | EC-No.    | Index-No.    | Concentration |  |  |  |  |
|-----------------------------|-----------|--------------|---------------|--|--|--|--|
| Sodium dichromate dihydrate |           |              |               |  |  |  |  |
| 7789-12-0                   | 234-190-3 | 024-004-00-7 | 26.6%         |  |  |  |  |
| Hydrochloric acid           |           |              |               |  |  |  |  |
| 7647-01-0                   | 231-595-7 | 017-002-01-X | 6.9 %         |  |  |  |  |
| Water                       |           |              |               |  |  |  |  |
| 7732-18-5                   | 231-791-2 |              | 54.9 %        |  |  |  |  |
| Manganese chloride          |           |              |               |  |  |  |  |
| 7773-01-5                   | 231-869-6 |              | 11.6%         |  |  |  |  |

#### 4. FIRST AID MEASURES

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

# Further information

The product itself does not burn.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

# **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

# Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

| Components              | CAS-No.   | Value | Control parameters | Basis  |  |  |
|-------------------------|---|-------|--------------------|--|--|--|
| Hydrochloric acid       | 7647-01-0   | С     | 2 ppm              | USA. ACGIH Threshold Limit Values (TLV)  |  |  |
| Remarks                 | Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories. |       |                    |  |  |  |
|                         |   | С     | 5 ppm<br>7 mg/m3   | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |  |  |
|                         | The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.   |       |                    |  |  |  |
|                         |   | С     | 5 ppm<br>7 mg/m3   | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |  |  |
|                         |   | С     | 5 ppm<br>7 mg/m3   | USA. NIOSH Recommended Exposure Limits   |  |  |
|                         | Often used in an aqueous solution.  |       |                    |  |  |  |
| Manganese<br>dichloride | 7773-01-5   | С     | 5 mg/m3            | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |  |  |
| Remarks                 | Ceiling limit is to be determined from breathing-zone air samples.  |       |                    |  |  |  |
|                         |   | С     | 5 mg/m3            | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |  |  |
|                         |   | TWA   | 0.2 mg/m3          | USA. ACGIH Threshold Limit Values (TLV)  |  |  |
|                         | Central Nervous System impairment Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC) varies  |       |                    |  |  |  |
|                         |   | TWA   | 1 mg/m3            | USA. NIOSH Recommended Exposure Limits   |  |  |
|                         |   | ST    | 3 mg/m3            | USA. NIOSH Recommended Exposure Limits   |  |  |
| Remarks                 | Substance listed; for more information see OSHA document 1910.1026  |       |                    |  |  |  |
|                         | See 1910.1026. See Table Z-2 for the exposure limit for any operations or sectors where the exposure limit in 1910.1026 is stayed or are otherwise not in effect.   |       |                    |  |  |  |
| Sodium<br>dichromate    | 7789-12-0   | CEIL  | 0.1 mg/m3          | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |  |  |
|                         |   | TWA   | 0.0050 mg/m3       | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |  |  |

|         |   | CEIL | 0.0010 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z2 |
|---------|---|------|--------------|---|
|         |   | TWA  | 0.05 mg/m3   | USA. ACGIH Threshold Limit Values (TLV)             |
| Remarks | Confirmed human carcinogen: The agent is carcinogenic to humans based on the weight of evidence from epidemiologic studies. |      |              |   |

### Personal protective equipment

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form liquid

Colour no data available

# Safety data

pH <′

Melting no data available

point/freezing point

Boiling point no data available
Flash point not applicable
Ignition temperature no data available
Auto ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 1.19 g/cm3

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour no data available

density

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

# 10. STABILITY AND REACTIVITY

#### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

#### Conditions to avoid

no data available

#### Materials to avoid

Bases, Amines, Alkali metals, Metals, hexalithium disilicide, permanganates, e.g. potassium permanganate, Fluorine

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Other decomposition products - no data available

### 11. TOXICOLOGICAL INFORMATION Acute toxicity

LD50 Oral - rat - 50 mg/kg

# Skin corrosion/irritation

no data available

# Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitization

May cause allergic respiratory reaction.

# Germ cell mutagenicity

May alter genetic material.

In vivo tests showed mutagenic effects

Genotoxicity in vitro - rat - Liver

DNA damage

Genotoxicity in vitro - Hamster - Lungs

Sister chromatid exchange

Genotoxicity in vivo - rat - Intratracheal

DNA damage

# Carcinogenicity

Carcinogenicity - rat - Intratracheal

Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Sodium dichromate dihydrate)

NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

### Reproductive toxicity

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant

May cause reproductive disorders.

# Specific target organ toxicity - single exposure (GHS)

no data available

# Specific target organ toxicity - repeated exposure (GHS)

Inhalation - Causes damage to organs through prolonged or repeated exposure.

# Aspiration hazard

no data available

#### Potential health effects

**Inhalation** May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Ingestion** May be fatal if swallowed. Causes burns.

**Skin** May be harmful if absorbed through skin. Causes skin burns. May be fatal if absorbed through

skin.

**Eyes** Causes eye burns.

# Signs and Symptoms of Exposure

Ulceration, Liver injury may occur., Kidney injury may occur.

Additional Information RTECS: HX7750000

#### 12. ECOLOGICAL INFORMATION

# **Toxicity**

no data available

### Persistence and degradability

no data available

# **Bioaccumulative potential**

no data available

# Mobility in soil

no data available

#### PBT and vPvB assessment

no data available

#### Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic

to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 13. DISPOSAL CONSIDERATIONS

#### Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

### DOT (US)

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII FOR 1 GALLON JUG: ORM-D CONSUMER COMMODITY

#### MDG

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII IATA

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII

#### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Harmful by ingestion., Corrosive

#### **DSL Status**

All components of this product are on the Canadian DSL list.

# **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

|   | CAS No.   | <b>Revision Date</b> |
|---|-----------|----------------------|
| Hydrochloric acid                                       | 7647-01-0 | 1993-04-24           |
| Sodium dichromate dihydrate                             | 7789-12-0 | 1993-04-24           |
| Manganese chloride                                      | 7773-01-5 | 1987-01-01           |
| SARA 311/312 Hazards                                    |           |                      |
| Acute Health Hazard                                     |           |                      |
| Massachusetts Right To Know Components                  | CAS No.   | <b>Revision Date</b> |
| Hydrochloric acid                                       | 7647-01-0 | 1993-04-24           |
| Sodium dichromate dihydrate                             | 7789-12-0 | 1993-04-24           |
| Water   | 7732-18-5 |                      |
| Manganese chloride                                      | 7773-01-5 | 1987-01-01           |
|   |           |                      |
| Pennsylvania Right To Know Components                   | CAS No.   | Revision Date        |
| Hydrochloric acid                                       | 7647-01-0 | 1993-04-24           |
| Sodium dichromate dihydrate                             | 7789-12-0 | 1993-04-24           |
| Water   | 7732-18-5 |                      |
| Manganese chloride                                      | 7773-01-5 | 1987-01-01           |
| O-liferatio Break CE Octobre and to                     | 040 N-    | Davidaian data       |
| California Prop. 65 Components                          | CAS No.   | Revision date        |
| WARNING! This product contains a chemical known to the  |           |                      |
| California to cause cancer. Sodium dichromate dihydrate | 7789-12-0 | 2008-12-19           |

#### 16. OTHER INFORMATION

Further information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sentury Reagents, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.