

Safety Data Sheet

Revision Date 12/16/15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Renaissance Concrete Chemical Stain - Spanish Moss

Manufacturer Sentury Reagents, Inc.

> 2515 Commerce Dr. Rock Hill, SC 29730

USA

Telephone 803-327-6880 803-327-3872 Fax

Emergency Phone # PERS: 800-633-8253 or 801-629-0667

Supplier's account #10613

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Toxic by ingestion, Irritant

Target Organs

Liver, Kidney, Blood

GHS Classification

Acute toxicity, Oral (Category 3)

Acute toxicity, Inhalation (Category 3) Acute

toxicity, Dermal (Category 5) Skin irritation (Category 2) Eye irritation (Category 2A)

Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram







Signal word Danger

Hazard statement(s)

H301 Toxic if swallowed.

H313 May be harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled

H400 Very toxic to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust, fumes, gas, mists, vapours, spray. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

P304 + P340 + P311 IF INHALED: Remove to fresh air and keep comfortable for breathing. Call a poison center or

doctor/physician.

HMIS Classification

Health hazard: 3 **Chronic Health Hazard:** 0 Flammability: Physical hazards: O Personal protection: F

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin Harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.
Ingestion Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Hydrochloric acid

Formula : HCL

CAS-No.	EC-No.	Index-No.	Concentration
Manganese chlorid	e		
7773-01-5	231-869-6		4.4 %
Hydrochloric acid			
647-01-0	231-595-7	017-002-01-X	7.8 %
Water			
7732-18-5	231-791-2	-	68.5 %
Copper sulphate pe	entahydrate		
7758-99-8	231-847-6	029-004-00-0	9 %
Ferrous sulphate po	entahydrate		
7782-63-0	231-753-5	026-003-01-4	10.3 %

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Copper oxides

Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Value	Control parameters	Basis	
7758-99-8	TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
7647-01-0	С	2 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories.				
	С	5 ppm 7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.				
	С	5 ppm 7 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
	С	5 ppm 7 mg/m3	USA. NIOSH Recommended Exposure Limits	
Often used in an aqueous solution.				
7782-63-0	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Upper Respiratory Tract & skin irritation varies				
	TWA	1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
	TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
7773-01-5	С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
Ceiling limit is to be determined from breathing-zone air samples.				
	С	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
	TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Central Nervous System impairment Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC) varies				
	TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
	ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits	
	7758-99-8 7647-01-0 Upper Respithey could be because of a sufficient to control of the value in samples. Often used in 7782-63-0 Upper Respitation of the value in samples.	7758-99-8 TWA 7647-01-0 C Upper Respiratory Tract they could be carcinoger because of a lack of data sufficient to classify the assumption of the value in mg/m3 is assamples. C The value in mg/m3 is assamples. C C Often used in an aqueous T782-63-0 TWA Upper Respiratory Tract TWA TWA 7773-01-5 C Ceiling limit is to be determined by the composed in the	Parameters 7758-99-8 TWA 1 mg/m3 7647-01-0 C 2 ppm	

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid Colour blue

Safety data

pH <1
Melting point/freezing n/a

point

Boiling point no data available
Flash point no data available
Ignition temperature no data available
Auto ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 1.21 g/mL at 25 °C (77 °F)

Water solubility no data available
Partition coefficient: no data available

n-octanol/water

Relative vapour

no data available

density

Odour no data available

Odour Threshold no data available

Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Exposure to moisture.

Materials to avoid

Powdered metals, Anhydrous copper(II) sulfate, reacts violently with:, hydroxylamine, Magnesium

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Copper oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION Acute

toxicity - Copper chloride

Oral LD50

LD50 Oral - rat - 300 mg/kg Remarks: anhydrous Inhalation LC50 no data available

Dermal LD50

LD50 Dermal - rat - > 2,000 mg/kg

Remarks: anhydrous

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects no data available Additional Information

RTECS: GL8900000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to daphnia and other aquatic invertebrates.

EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN3264, Corrosive liquids, acidic, inorganic, n.o.s., (Hydrochloric acid mixture), 8, PGIII

FOR 1 GALLON JUGS: ORM-D CONSUMER COMMODITY

IMDG

UN3264, Corrosive liquids, acidic, inorganic, n.o.s., (Hydrochloric acid mixture), 8, PGIII

IATA

UN3264, Corrosive liquids, acidic, inorganic, n.o.s., (Hydrochloric acid mixture), 8, PGIII

15. REGULATORY INFORMATION

OSHA Hazards

Harmful by ingestion. Corrosive

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	0/10/110.	revision bate
Manganese chloride	7773-01-5	1987-01-01
Hydrochloric acid	7647-01-0	1993-04-24
Copper sulfate pentahydrate	7758-99-8	2007-03-01
SARA 311/312 Hazards		
Acute Health Hazard		
Massachusetts Right To Know Components	CAS No.	Revision Date
Manganese chloride	7773-01-5	1987-01-01
Hydrochloric acid	7647-01-0	1993-04-24
Copper sulfate pentahydrate	7758-99-8	2007-03-01
Pennsylvania Right To Know Components	CAS No.	Revision Date
Manganese chloride	7773-01-5	1987-01-01
Hydrochloric acid	7647-01-0	1993-04-24

California Prop. 65 Components

Copper sulfate pentahydrate

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

7758-99-8

CAS No.

Revision Date

2007-03-01

16. OTHER INFORMATION

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sentury Reagents, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.