

Safety Data Sheet

Revision Date 12/16/15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Renaissance Concrete Chemical Stain – Walnut Brown

Manufacturer : Sentury Reagents, Inc.

2515 Commerce Dr. Rock Hill, SC 29730

USA

Telephone : 803-327-6880 Fax : 803-327-3872

Emergency Phone #: PERS: 800-633-8253 or 801-629-0667

Supplier's account # 10613

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Respiratory sensitizer, Corrosive, Carcinogen, Teratogen, Reproductive hazard

Target Organs

Liver, Kidney

GHS Label elements, including precautionary statements

one Labor cromente, mordanig productionally cratement

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.

H300 Fatal if swallowed.

H312 + H332 Harmful if contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled. H410

Very toxic to aquatic life, with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P220 Keep/Store away from clothing/ combustible materials.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 + P311 Immediately call a POISON CENTER or doctor/physician.

HMIS Classification

Health hazard: 4
Chronic Health Hazard *
Flammability: 0
Physical hazards: 0
Personal protection: F

NFPA Rating

Health hazard: 4
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin Harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. **Ingestion** Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : HCl, Cr₂Na₂O₇ • 2H₂O

CAS-No.	EC-No.	Index-No.	Concentration				
Sodium dichromate dihydrate							
7789-12-0	234-190-3	024-004-00-7	7.8%				
Hydrochloric acid							
7647-01-0	231-595-7	017-002-01-X	8.9 %				
Water							
7732-18-5	231-791-2		68.8 %				
Manganese chloride							
7773-01-5	231-869-6		14.5%				

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Hydrochloric acid	7647-01-0	С	2 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories.					
		С	5 ppm 7 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate. Ceiling limit is to be determined from breathing-zone air samples.					
		С	5 ppm 7 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		С	5 ppm 7 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Often used in an aqueous solution.					
Manganese dichloride	7773-01-5	С	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
Remarks	Ceiling limit is to be determined from breathing-zone air samples.					
		С	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
	Central Nervous System impairment Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC) varies					
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits		
		ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits		
Remarks	Substance listed; for more information see OSHA document 1910.1026					
		See 1910.1026. See Table Z-2 for the exposure limit for any operations or sectors where the exposure limit in 1910.1026 is stayed or are otherwise not in effect.				

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour no data available

Safety data

pH <1

Melting no data available

point/freezing point

Boiling point no data available
Flash point not applicable
Ignition temperature no data available
Auto ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 1.19 g/cm3

Water solubility no data available

Partition coefficient: no data available

n-octanol/water

Relative vapour no data available

density

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Bases, Amines, Alkali metals, Metals, hexalithium disilicide, permanganates, e.g. potassium permanganate, Fluorine **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 50 mg/kg Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

May cause allergic respiratory reaction.

Germ cell mutagenicity

May alter genetic material.

In vivo tests showed mutagenic effects

Genotoxicity in vitro - rat - Liver

DNA damage

Genotoxicity in vitro - Hamster - Lungs

Sister chromatid exchange

Genotoxicity in vivo - rat - Intratracheal

DNA damage

Carcinogenicity

Carcinogenicity - rat - Intratracheal

Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors.

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Sodium dichromate dihydrate)

NTP: No component of this product presents at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

Reproductive toxicity

May cause congenital malformation in the fetus.

Presumed human reproductive toxicant

May cause reproductive disorders.

Specific target organ toxicity - single exposure (GHS)

no data available

Specific target organ toxicity - repeated exposure (GHS)

Inhalation - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Potential health effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Ingestion May be fatal if swallowed. Causes burns.

Skin May be harmful if absorbed through skin. Causes skin burns. May be fatal if absorbed through

skin.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Ulceration, Liver injury may occur., Kidney injury may occur.

Additional Information RTECS: HX7750000

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic

to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII FOR 1 GALLON JUGS: ORM-D CONSUMER COMMODITY

IMDG

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII IATA

UN2922, Corrosive liquid, toxic, inorganic, n.o.s., (hydrochloric acid / sodium dichromate mixture), 8, (6.1), PGIII

15. REGULATORY INFORMATION

OSHA Hazards

Harmful by ingestion., Corrosive

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

The fellething compensate are cubject to reporting levels cottabil	onoa by o n a or the	10 111, 00011011 0 10.
	CAS No.	Revision Date
Hydrochloric acid	7647-01-0	1993-04-24
Sodium dichromate dihydrate	7789-12-0	1993-04-24
Manganese chloride	7773-01-5	1987-01-01
SARA 311/312 Hazards		
Acute Health Hazard		
Massachusetts Right To Know Components	CAS No.	Revision Date
Hydrochloric acid	7647-01-0	1993-04-24
Sodium dichromate dihydrate	7789-12-0	1993-04-24
Water	7732-18-5	
Manganese chloride	7773-01-5	1987-01-01
Pennsylvania Right To Know Components	CAS No.	Revision Date
Hydrochloric acid	7647-01-0	1993-04-24
Sodium dichromate dihydrate	7789-12-0	1993-04-24
Water	7732-18-5	
Manganese chloride	7773-01-5	1987-01-01
California Prop. 65 Components	CAS No.	Revision date
WARNING! This product contains a chemical known to the California to cause cancer. Sodium dichromate dihydrate		2008-12-19

16. OTHER INFORMATION

Further information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sentury Reagents, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.